

KHUN TRACK LIGHT SYSTEM CATALOG 2024




Contents

6 Wires 3 Circuits DALI Track System	P04~P10
4 Wires Single Phase DALI Track System	P11~P15
4 Wires 3 Circuits Track System (Regular)	P16~P22
4 Wires 3 Circuits Recessed Track System (Regular)	P23~P24
4 Wires 3 Circuits Track System (Deluxe)	P25~P29
4 Wires 3 Circuits Recessed Track System (Deluxe)	P30~P32
3 Wires Single Phase Track System	P33~P39
M20 Low Voltage Magnet Track System	P40~P48
M20 Low Voltage Magnet Track Lamp Kits	P49~P50



About Us



Nelux is a dedicated lighting track systems company.

Premier quality has been always the objective Pursued by **Nelux**. Backed by a competent team with more than 13 years experiences in designing, engineering and distributing,


Nelux is able to provide high-end products for durable and reliable lighting applications. From isolator extrusion, plastic injection, shrapnel punching, manufacturing to assembly, we ensure the quality of every product and quick delivery services.

Our track systems are Rohs compliance, carried CE, TUV, SAA approval, CB and ENEC certified. Our key products are the Euro-stand 4 wires 3-circuit track system, regular and deluxe edition, 6 wires 3-circuit DALI and single phase DALI track system, 3 wires single phase track system, and the 48V low voltage slim magnetic track system. Besides, Nelux can provide excellent OEM /ODM services on various types of non-standard track systems, curved track, showcase track etc.


Motivating by continuous improvement and endless pursuit of perfection, we value every possibility to provide quality products through cost effective options, which is enable us to offer high quality products with reasonable prices and satisfactory services to our customers.

6 Wires 3 Circuits DALI Track System

6 Wires DALI Track System Application






Connection Installation



6 Wires 3 Circuits DALI Track System


6 Wires 3 Circuits DALI Track

Coextrusion Technology of Flat Copper Wire





Model No.	Track Length	Colour	Package
D610-WH	1000mm	White	1 / 12
D610-BK	1000mm	Black	1 / 12
D610-SL	1000mm	Silver	1 / 12
D620-WH	2000mm	White	1 / 12
D620-BK	2000mm	Black	1 / 12
D620-SL	2000mm	Silver	1 / 12
D630-WH	3000mm	White	1 / 8
D630-BK	3000mm	Black	1 / 8
D630-SL	3000mm	Silver	1 / 8
D640-WH	4000mm	White	1 / 6
D640-BK	4000mm	Black	1 / 6
D640-SL	4000mm	Silver	1 / 6

Fixing Point Dimensions




L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333


Mechanical Load Diagram



Connecting Diagram




1 Phase 230VAC 16A Max + DALI



3 Phases 230VAC 3x16A Max + DALI


6 Wires 3 Circuits DALI Track System

Track Power Connector (L)




Model No.	Colour	Package
D681L-WH	White	1/150
D681L-BK	Black	1/150
D681L-SL	Silver	1/150

Track Power Connector (R)




Model No.	Colour	Package
D681R-WH	White	1/150
D681R-BK	Black	1/150
D681R-SL	Silver	1/150

End Cap




Model No.	Colour	Package
D682-WH	White	1/500
D682-BK	Black	1/500
D682-SL	Silver	1/500

Mini Joiner Connector




Model No.	Colour	Package
D683-WH	White	1/400
D683-BK	Black	1/400
D683-SL	Silver	1/400

Straight Connector



Model No.	Colour	Package
D684-WH	White	1/160
D684-BK	Black	1/160
D684-SL	Silver	1/160


“+” Cross Connector



Model No.	Colour	Package
D687-WH	White	1/60
D687-BK	Black	1/60
D687-SL	Silver	1/60


6 Wires 3 Circuits DALI Track System

“L” Connector (L)




Model No.	Colour	Package
D685L-WH	White	1/150
D685L-BK	Black	1/150
D685L-SL	Silver	1/150

“L” Connector (R)




Model No.	Colour	Package
D685R-WH	White	1/150
D685R-BK	Black	1/150
D685R-SL	Silver	1/150

“T” Connector (L1)




Model No.	Colour	Package
D686L1-WH	White	1/90
D686L1-BK	Black	1/90
D686L1-SL	Grey	1/90

“T” Connector (L2)




Model No.	Colour	Package
D686L2-WH	White	1/90
D686L2-BK	Black	1/90
D686L2-SL	Grey	1/90

“T” Connector (R1)



Model No.	Colour	Package
D686R1-WH	White	1/90
D686R1-BK	Black	1/90
D686R1-SL	Silver	1/90


“T” Connector (R2)



Model No.	Colour	Package
D686R2-WH	White	1/90
D686R2-BK	Black	1/90
D686R2-SL	Silver	1/90


6 Wires 3 Circuits DALI Track System

Twisted Connector



Model No.	Colour	Package
D688-WH	White	1/150
D688-BK	Black	1/150
D688-SL	Silver	1/150

Flexible Connector




Model No.	Colour	Package
D689-WH	White	1/150
D689-BK	Black	1/150
D689-SL	Silver	1/150

Ceiling mount kit




Model No.	Colour	Package
D691-WH	White	1/200
D691-BK	Black	1/200
D691-SL	Silver	1/200

Connecting Plate





Model No.	Colour	Package
D692-WH	White	1/400
D692-BK	Black	1/400
D692-SL	Silver	1/400

Track Suspension Diagram




6 Wires 3 Circuits DALI Track System

6 Wires 3 Circuits Recessed Track (Deluxe)





Model No.	Track Length	Colour	Package
RD610-WH	1000mm	White	1 / 12
RD610-BK	1000mm	Black	1 / 12
RD610-SL	1000mm	Silver	1 / 12
RD620-WH	2000mm	White	1 / 12
RD620-BK	2000mm	Black	1 / 12
RD620-SL	2000mm	Silver	1 / 12
RD630-WH	3000mm	White	1 / 8
RD630-BK	3000mm	Black	1 / 8
RD630-SL	3000mm	Silver	1 / 8
RD640-WH	4000mm	White	1 / 6
RD640-BK	4000mm	Black	1 / 6
RD640-SL	4000mm	Silver	1 / 6

Fixing Point Dimensions




L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333


Mechanical Load Diagram



Connecting Diagram




1 Phase 230VAC 16A Max + DALI



3 Phases 230VAC 3x16A Max + DALI


6 Wires 3 Circuits DALI Track System

Power Connector Cover




Model No.	Colour	Package
RD681-WH	White	1/500
RD681-BK	Black	1/500
RD681-SL	Silver	1/500

Straight Connector Cover




Model No.	Colour	Package
RD684-WH	White	1/500
RD684-BK	Black	1/500
RD684-SL	Silver	1/500

“L” Connector Cover




Model No.	Colour	Package
RD685-WH	White	1/500
RD685-BK	Black	1/500
RD685-SL	Silver	1/500

“T” Connector Cover



Model No.	Colour	Package
RD686-WH	White	1/500
RD686-BK	Black	1/500
RD686-SL	Silver	1/500


“+” Connector Cover




Model No.	Colour	Package
RD687-WH	White	1/500
RD687-BK	Black	1/500
RD687-SL	Silver	1/500

4 Wires Single Phase DALI Track System

4 Wires DALI Track System Application



Connection Installation





4 Wires Single Phase DALI Track System

4 Wires Single Circuit DALI Track




Coextrusion Technology of Flat Copper Wire





Model No.	Track Length	Colour	Package
D410-WH	1000mm	White	1 / 12
D410-BK	1000mm	Black	1 / 12
D410-SL	1000mm	Silver	1 / 12
D420-WH	2000mm	White	1 / 12
D420-BK	2000mm	Black	1 / 12
D420-SL	2000mm	Silver	1 / 12
D430-WH	3000mm	White	1 / 8
D430-BK	3000mm	Black	1 / 8
D430-SL	3000mm	Silver	1 / 8
D440-WH	4000mm	White	1 / 6
D440-BK	4000mm	Black	1 / 6
D440-SL	4000mm	Silver	1 / 6

Fixing Point Dimensions




L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333

Mechanical Load Diagram




Connecting Diagram



1 Phases 230VAC 16A Max+ DALI


4 Wires Single Phase DALI Track System

Track Power Connector (L)




Model No.	Colour	Package
D481L-WH	White	1/150
D481L-BK	Black	1/150
D481L-SL	Silver	1/150

Track Power Connector (R)




Model No.	Colour	Package
D481R-WH	White	1/150
D481R-BK	Black	1/150
D481R-SL	Silver	1/150

End Cap




Model No.	Colour	Package
D482-WH	White	1/500
D482-BK	Black	1/500
D482-SL	Silver	1/500

Mini Joiner Connector




Model No.	Colour	Package
D483-WH	White	1/400
D483-BK	Black	1/400
D483-SL	Silver	1/400

Straight Connector



Model No.	Colour	Package
D484-WH	White	1/160
D484-BK	Black	1/160
D484-SL	Silver	1/160


“+” Cross Connector



Model No.	Colour	Package
D487-WH	White	1/60
D487-BK	Black	1/60
D487-SL	Silver	1/60


4 Wires Single Phase DALI Track System

“L” Connector (L)




Model No.	Colour	Package
D485L-WH	White	1/150
D485L-BK	Black	1/150
D485L-SL	Silver	1/150

“L” Connector (R)




Model No.	Colour	Package
D485R-WH	White	1/150
D485R-BK	Black	1/150
D485R-SL	Silver	1/150

“T” Connector (L1)




Model No.	Colour	Package
D486L1-WH	White	1/90
D486L1-BK	Black	1/90
D486L1-SL	Silver	1/90

“T” Connector (L2)




Model No.	Colour	Package
D486L2-WH	White	1/90
D486L2-BK	Black	1/90
D486L2-SL	Silver	1/90

“T” Connector (R1)



Model No.	Colour	Package
D486R1-WH	White	1/90
D486R1-BK	Black	1/90
D486R1-SL	Silver	1/90


“T” Connector (R2)



Model No.	Colour	Package
D486R2-WH	White	1/90
D486R2-BK	Black	1/90
D486R2-SL	Silver	1/90


4 Wires Single Phase DALI Track System

4 Wires DALI adaptor



Model No.	Colour	Package
D403-WH	White	1/200
D403-BK	Black	1/200
D403-SL	Silver	1/200


4 Wires Single Circuit DALI Gearbox (Big)



Inside Size: L127*W86*H38mm

Model No.	Colour	Package
D451-WH	White	1/60
D451-BK	Black	1/60
D451-SL	Silver	1/60

4 Wires Single Circuit DALI Gearbox (Small)




Inside Size: L109*W60*H36mm


Model No.	Colour	Package
D452-WH	White	1/80
D452-BK	Black	1/80
D452-SL	Silver	1/80

4 Wires 3 Circuits Track System(Regular)

4 Wires Track System Application




Connection Installation




4 Wires 3 Circuits Track System(Regular)



4 Wires Track System







Applications




L-SHAPED CONNECTORS




T-SHAPED CONNECTORS



Connecting Diagram



1 Phase 230VAC 16A Max




3 Phases 3x16A Max

4 Wires 3 Circuits Track System(Regular)

4 Wires 3 Circuits Track (Regular)




Coextrusion Technology of Flat Copper Wire





Model No.	Track Length	Colour	Package
A410-WH	1000mm	White	1 / 12
A410-BK	1000mm	Black	1 / 12
A410-SL	1000mm	Silver	1 / 12
A420-WH	2000mm	White	1 / 12
A420-BK	2000mm	Black	1 / 12
A420-SL	2000mm	Silver	1 / 12
A430-WH	3000mm	White	1 / 8
A430-BK	3000mm	Black	1 / 8
A430-SL	3000mm	Silver	1 / 8
A440-WH	4000mm	White	1 / 6
A440-BK	4000mm	Black	1 / 6
A440-SL	4000mm	Silver	1 / 6

Fixing Point Dimensions





L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333

Mechanical Load Diagram




Connecting Diagram




4 Wires 3 Circuits Track System(Regular)

Track Power Connector (L)




Model No.	Colour	Package
A481L-WH	White	1/150
A481L-BK	Black	1/150
A481L-SL	Silver	1/150

Track Power Connector (R)




Model No.	Colour	Package
A481R-WH	White	1/150
A481R-BK	Black	1/150
A481R-SL	Silver	1/150

End Cap




Model No.	Colour	Package
A482-WH	White	1/500
A482-BK	Black	1/500
A482-SL	Silver	1/500

Mini Joiner Connector




Model No.	Colour	Package
A483-WH	White	1/400
A483-BK	Black	1/400
A483-SL	Silver	1/400

Straight Connector



Model No.	Colour	Package
A484-WH	White	1/160
A484-BK	Black	1/160
A484-SL	Silver	1/160


“+” Cross Connector



Model No.	Colour	Package
A487-WH	White	1/60
A487-BK	Black	1/60
A487-SL	Silver	1/60


4 Wires 3 Circuits Track System(Regular)

“L” Connector (L)




Model No.	Colour	Package
A485L-WH	White	1/150
A485L-BK	Black	1/150
A485L-SL	Silver	1/150

“L” Connector (R)




Model No.	Colour	Package
A485R-WH	White	1/150
A485R-BK	Black	1/150
A485R-SL	Silver	1/150

“T” Connector (L1)




Model No.	Colour	Package
A486L1-WH	White	1/90
A486L1-BK	Black	1/90
A486L1-SL	Silver	1/90

“T” Connector (L2)




Model No.	Colour	Package
A486L2-WH	White	1/90
A486L2-BK	Black	1/90
A486L2-SL	Silver	1/90

“T” Connector (R1)



Model No.	Colour	Package 装箱数量
A486R1-WH	White	1/90
A486R1-BK	Black	1/90
A486R1-SL	Silver	1/90


“T” Connector (R2)



Model No.	Colour	Package
A486R2-WH	White	1/90
A486R2-BK	Black	1/90
A486R2-SL	Silver	1/90

4 Wires 3 Circuits Track System(Regular)

Twisted Connector



Model No.	Colour	Package
A488-WH	White	1/90
A488-BK	Black	1/90
A488-SL	Silver	1/90


Flexible Connector



Model No.	Colour	Package
A489-WH	White	1/90
A489-BK	Black	1/90
A489-SL	Silver	1/90

4 Wires Track Ceiling Box

Track Ceiling Box




Model No.	Colour	Package
C400-WH	White	1/100
C400-BK	Black	1/100
C400-SL	Silver	1/100

Connection Installation




Connecting Diagram



4 Wires 3 Circuits Track System(Regular)

Celling mount kit




Model No.	Colour	Package
A491-WH	White	1/200
A491-BK	Black	1/200
A491-SL	Silver	1/200

Suspension Mount EZCLK Kit




Model No.	Colour	Package
A492-WH	White	1/200
A492-BK	Black	1/200
A492-SL	Silver	1/200

Suspension Kit




Model No.	Colour	Package
A493-WH	White	1/1000
A493-BK	Black	1/1000
A493-SL	Silver	1/1000

Suspension Clamp




Model No.	Colour	Package
A494-WH	White	1/500
A494-BK	Black	1/500
A494-SL	Silver	1/500

Track Suspension Diagram




4 Wires 3 Circuits Track System(Regular)

4 Wires 3 Circuits Recessed Track (Regular)





Model No.	Track Length	Colour	Package
RA410-WH	1000mm	White	1 / 12
RA410-BK	1000mm	Black	1 / 12
RA410-SL	1000mm	Silver	1 / 12
RA420-WH	2000mm	White	1 / 12
RA420-BK	2000mm	Black	1 / 12
RA420-SL	2000mm	Silver	1 / 12
RA430-WH	3000mm	White	1 / 8
RA430-BK	3000mm	Black	1 / 8
RA430-SL	3000mm	Silver	1 / 8
RA440-WH	4000mm	White	1 / 6
RA440-BK	4000mm	Black	1 / 6
RA440-SL	4000mm	Silver	1 / 6

Fixing Point Dimensions





L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333

Mechanical Load Diagram




Connecting Diagram




4 Wires 3 Circuits Track System(Regular)

Power Connector Cover




Model No.	Colour	Package
RA481-WH	White	1/500
RA481-BK	Black	1/500
RA481-SL	Silver	1/500

Straight Connector Cover




Model No.	Colour	Package
RA484-WH	White	1/500
RA484-BK	Black	1/500
RA484-SL	Silver	1/500

“L” Connector Cover




Model No.	Colour	Package
RA485-WH	White	1/500
RA485-BK	Black	1/500
RA485-SL	Silver	1/500

“T” Connector Cover



Model No.	Colour	Package
RA486-WH	White	1/500
RA486-BK	Black	1/500
RA486-SL	Silver	1/500


“+” Connector Cover




Model No.	Colour	Package
RA487-WH	White	1/500
RA487-BK	Black	1/500
RA487-SL	Silver	1/500

4 Wires 3 Circuits Track System(Deluxe)

4 Wires Track System Application



Connection Installation




4 Wires 3 Circuits Track System(Deluxe)

4 Wires 3 Circuits Track (Deluxe)




Coextrusion Technology of Flat Copper Wire





Model No.	Track Length	Colour	Package
S410-WH	1000mm	White	1 / 12
S410-BK	1000mm	Black	1 / 12
S410-SL	1000mm	Silver	1 / 12
S420-WH	2000mm	White	1 / 12
S420-BK	2000mm	Black	1 / 12
S420-SL	2000mm	Silver	1 / 12
S430-WH	3000mm	White	1 / 8
S430-BK	3000mm	Black	1 / 8
S430-SL	3000mm	Silver	1 / 8
S440-WH	4000mm	White	1 / 6
S440-BK	4000mm	Black	1 / 6
S440-SL	4000mm	Silver	1 / 6

Fixing Point Dimensions





L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333

Mechanical Load Diagram




Connecting Diagram




4 Wires 3 Circuits Track System(Deluxe)

Track Power Connector (L)




Model No.	Colour	Package
S481L-WH	White	1/150
S481L-BK	Black	1/150
S481L-SL	Silver	1/150

Track Power Connector (R)




Model No.	Colour	Package
S481R-WH	White	1/150
S481R-BK	Black	1/150
S481R-SL	Silver	1/150

End Cap / 尾盖




Model No.	Colour	Package
S482-WH	White	1/500
S482-BK	Black	1/500
S482-SL	Silver	1/500

Mini Joiner Connector / I形接驳器




Model No.	Colour	Package
S483-WH	White	1/400
S483-BK	Black	1/400
S483-SL	Silver	1/400

Straight Connector / 直线接驳器



Model No.	Colour	Package
S484-WH	White	1/160
S484-BK	Black	1/160
S484-SL	Silver	1/160


“十” Cross Connector / 十字接驳器



Model No.	Colour	Package
S487-WH	White	1/60
S487-BK	Black	1/60
S487-SL	Silver	1/60


4 Wires 3 Circuits Track System(Deluxe)

“L” Connector (L)




Model No.	Colour	Package 装箱数量
S485L-WH	White	1/150
S485L-BK	Black	1/150
S485L-SL	Silver	1/150

“L” Connector (R)




Model No.	Colour	Package
S485R-WH	White	1/150
S485R-BK	Black	1/150
S485R-SL	Silver	1/150

“T” Connector (L1)




Model No.	Colour	Package
S486L1-WH	White	1/90
S486L1-BK	Black	1/90
S486L1-SL	Silver	1/90

“T” Connector (L2)




Model No.	Colour	Package
S486L2-WH	White	1/90
S486L2-BK	Black	1/90
S486L2-SL	Silver	1/90

“T” Connector (R1)



Model No.	Colour	Package
S486R1-WH	White	1/90
S486R1-BK	Black	1/90
S486R1-SL	Silver	1/90


“T” Connector (R2)



Model No.	Colour	Package
S486R2-WH	White	1/90
S486R2-BK	Black	1/90
S486R2-SL	Silver	1/90

4 Wires 3 Circuits Track System(Deluxe)

Twisted Connector



Model No.	Colour	Package
S488-WH	White	1/150
S488-BK	Black	1/150
S488-SL	Silver	1/150

Flexible Connector




Model No.	Colour	Package
S489-WH	White	1/150
S489-BK	Black	1/150
S489-SL	Silver	1/150

Ceiling mount kit




Model No.	Colour	Package
S491-WH	White	1/200
S491-BK	Black	1/200
S491-SL	Silver	1/200

Connecting Plate




Model No.	Colour	Package
S492-WH	White	1/400
S492-BK	Black	1/400
S492-SL	Silver	1/400

Track Suspension Diagram




4 Wires 3 Circuits Track System(Deluxe)

4 Wires 3 Circuits Recessed Track (Deluxe)





Model No.	Track Length	Colour	Package
RS410-WH	1000mm	White	1 / 12
RS410-BK	1000mm	Black	1 / 12
RS410-SL	1000mm	Silver	1 / 12
RS420-WH	2000mm	White	1 / 12
RS420-BK	2000mm	Black	1 / 12
RS420-SL	2000mm	Silver	1 / 12
RS430-WH	3000mm	White	1 / 8
RS430-BK	3000mm	Black	1 / 8
RS430-SL	3000mm	Silver	1 / 8
RS440-WH	4000mm	White	1 / 6
RS440-BK	4000mm	Black	1 / 6
RS440-SL	4000mm	Silver	1 / 6

Fixing Point Dimensions




L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333


Mechanical Load Diagram



Connecting Diagram




1 Phase / 单相电 230VAC 16A Max



3 Phases / 三相电 230VAC 3x16A Max


4 Wires 3 Circuits Track System(Deluxe)

Power Connector Cover




Model No.	Colour	Package
RS461-WH	White	1/500
RS461-BK	Black	1/500
RS461-SL	Silver	1/500

Straight Connector Cover




Model No.	Colour	Package
RS464-WH	White	1/500
RS464-BK	Black	1/500
RS464-SL	Silver	1/500

“L” Connector Cover




Model No.	Colour	Package
RS465-WH	White	1/500
RS465-BK	Black	1/500
RS465-SL	Silver	1/500

“T” Connector Cover



Model No.	Colour	Package
RS466-WH	White	1/500
RS466-BK	Black	1/500
RS466-SL	Silver	1/500


“+” Connector Cover



Model No.	Colour	Package
RS467-WH	White	1/500
RS467-BK	Black	1/500
RS467-SL	Silver	1/500



4 Wires 3 Circuits Track System

4 Wires 3 Circuits Adaptor




Model No.	Colour	Package
401-WH	White	1/200
401-BK	Black	1/200
401-SL	Silver	1/200

4 Wires 3 Circuits Adaptor (Small)




Model No.	Colour	Package
402-WH	White	1/300
402-BK	Black	1/300
402-SL	Silver	1/300

4 Wires 3 Circuits Gearbox (Big)



Model No.	Colour	Package
451-WH	White	1/60
451-BK	Black	1/60
451-SL	Silver	1/60

4 Wires 3 Circuits Gearbox (Small)



Model No.	Colour	Package
452-WH	White	1/80
452-BK	Black	1/80
452-SL	Silver	1/80

Adaptor Nipple Connector (Public)



471-H05
M10 x 5mm



471-H08
M10 x 8mm



471-H12
M10 x 12mm




474-H08
M10 x 8mm





471-H12
M10 x 12mm

3 Wires Single Phase Track System


3 Wires Track System




Applications



Track has a groove running along its face. This denotes the "Earth" side of the track.




Connecting Diagram




1 Phase 120V/230V AC 16A Max

3 Wires Single Phase Track System

Track System Application



Track Fix




3 Wires Single Phase Track System

3 Wires Single Phase Track




Coextrusion Technology of Flat Copper Wire



Model No.	Specifications	Track Length	Colour	Package
E310A-WH	With Power Connector and End Cap/轨道含头尾	1000mm	White	1 / 20
E310A-BK	With Power Connector and End Cap/轨道含头尾	1000mm	Black	1 / 20
E320A-WH	With Power Connector and End Cap/轨道含头尾	2000mm	White	1 / 20
E320A-BK	With Power Connector and End Cap/轨道含头尾	2000mm	Black	1 / 20
E330A-WH	With Power Connector and End Cap/轨道含头尾	3000mm	White	1 / 20
E330A-BK	With Power Connector and End Cap/轨道含头尾	3000mm	Black	1 / 20
E340A-WH	With Power Connector and End Cap/轨道含头尾	4000mm	White	1 / 20
E340A-BK	With Power Connector and End Cap/轨道含头尾	4000mm	Black	1 / 20
E310B-WH	Only Track / 轨道足米	1000mm	White	1 / 20
E310B-BK	Only Track / 轨道足米	1000mm	Black	1 / 20
E320B-WH	Only Track / 轨道足米	2000mm	White	1 / 20
E320B-BK	Only Track / 轨道足米	2000mm	Black	1 / 20
E330B-WH	Only Track / 轨道足米	3000mm	White	1 / 20
E330B-BK	Only Track / 轨道足米	3000mm	Black	1 / 20
E340B-WH	Only Track / 轨道足米	4000mm	White	1 / 20
E340B-BK	Only Track / 轨道足米	4000mm	Black	1 / 20


Fixing Point Dimensions



L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333


3 Wires Single Phase Track System

Track Power Connector




Model No.	Colour	Package
E381-WH	White	1/150
E381-BK	Black	1/150

End Cap




Model No.	Colour	Package
E382-WH	White	1/150
E382-BK	Black	1/150

Mini Joiner Connector




Model No.	Colour	Package
E383-WH	White	1/400
E383-BK	Black	1/400

Mini Joiner Connector




Model No.	Colour	Package
E383A-WH	White	1/400
E383A-BK	Black	1/400

Straight Connector



Model No.	Colour	Package
E384-WH	White	1/160
E384-BK	Black	1/160


"L" Connector



Model No.	Colour	Package
E385-WH	White	1/150
E385-BK	Black	1/150


3 Wires Single Phase Track System

“T” Connector




Model No.	Colour	Package
E386-W	White	1/90
E386-B	Black	1/90

“+” Cross Connector




Model No.	Colour	Package
E387-W	White	1/60
E387-B	Black	1/60

Ceiling Mount Kit




Model No.	Colour	Package
E391	Nickel	1/500

Track Suspension Diagram



3 Wires Single Phase Track System

3 Wires Adaptor



Model No.

301-WH
301-BK
301-SL


Colour

White
Black
Silver

Package

1/300
1/300
1/300

3 Wires Adaptor (Small)



Model No.

302-WH
302-BK
302-SL


Colour

White
Black
Silver

Package

1/500
1/500
1/500

3 Wires Adaptor (Square)



Model No.

303-WH
303-BK
303-SL


Colour

White
Black
Silver

Package

1/300
1/300
1/300

3 Wires Gearbox (Big)



Model No.

351-WH
351-BK
351-SL


Colour

White
Black
Silver

Package

1/60
1/60
1/60

3 Wires Gearbox (Small)



Model No.

352-WH
352-BK
352-SL

Colour


White
Black
Silver

Package

1/80
1/80
1/80

2 Wires Single Phase Track System

2 Wires Adaptor



Model No.

201-WH
201-BK
201-SL


Colour

White
Black
Silver

Package

1/300
1/300
1/300

2 Wires Adaptor (Small)



Model No.

202-WH
202-BK
202-SL


Colour

White
Black
Silver

Package

1/500
1/500
1/500

2 Wires Gearbox (Big)



Model No.

251-WH
251-BK
251-SL


Colour

White
Black
Silver

Package

1/60
1/60
1/60

2 Wires Gearbox (Small)



Model No.

252-WH
252-BK
252-SL

Colour


White
Black
Silver

Package

1/80
1/80
1/80

M20 Low Voltage Magnet Track System

48V Low Voltage Magnet Track System





Applications




Applications




Applications



Connecting Diagram





1 Phases /48V 16A Max+ DALI



2 Phases 48V 2x16A Max+ DALI

M20 Low Voltage Magnet Track System



M20 Magnet Track (Surface Mounted)



Model No.	Track Length	Colour	Package
M20A-10-WH	100CM	White	1 / 10
M20A-10-BK	100CM	Black	1 / 10
M20A-15-WH	150CM	White	1 / 10
M20A-15-BK	150CM	Black	1 / 10
M20A-20-WH	200CM	White	1 / 10
M20A-20-BK	200CM	Black	1 / 10
M20A-30-WH	300CM	White	1 / 8
M20A-30-BK	300CM	Black	1 / 8



M20 Magnet Track Connector (Surface Mounted)

“L” Connector (Horizontal Direction)



Model No.	Colour
M211-20A-WH	White
M211-20A-BK	Black

“L” Connector (Vertical Direction) / L型接驳器(垂直方向)




Model No.	Colour
M212-20A-WH	White
M212-20A-BK	Black


Installation / 安装说明

Fix


Ceiling



Suspension






Magnet Track hole dimensions



M20 Low Voltage Magnet Track System



M20 Magnet Track (Trimless Recessed)



Model No.	Track Length	Colour	Package
M20B-10-WH	100CM	White	1 / 12
M20B-10-BK	100CM	Black	1 / 12
M20B-15-WH	150CM	White	1 / 12
M20B-15-BK	150CM	Black	1 / 12
M20B-20-WH	200CM	White	1 / 12
M20B-20-BK	200CM	Black	1 / 12
M20B-30-WH	300CM	White	1 / 8
M20B-30-BK	300CM	Black	1 / 8


M20 Magnet Track Connector (Trimless Recessed)

"L" Connector (Horizontal Direction)



Model No.	Colour
M211-20B-WH	White
M211-20B-BK	Black


"L" Connector (Vertical Direction)




Model No.	Colour
M212-20B-WH	White
M212-20B-BK	Black

Installation

Fix






Magnet Track hole dimensions



M20 Low Voltage Magnet Track System



M20 Magnet Track (Trimless Embedded)



Model No.	Track Length	Colour	Package
M20C-10-WH	100CM	White	1 / 12
M20C-10-BK	100CM	Black	1 / 12
M20C-15-WH	150CM	White	1 / 12
M20C-15-BK	150CM	Black	1 / 12
M20C-20-WH	200CM	White	1 / 12
M20C-20-BK	200CM	Black	1 / 12
M20C-30-WH	300CM	White	1 / 8
M20C-30-BK	300CM	Black	1 / 8


M20 Magnet Track Connector (Trimless Embedded)

“L” Connector (Horizontal Direction)



Model No.	Colour
M211-20C-WH	White
M211-20C-BK	Black


“L” Connector (Vertical Direction)




Model No.	Colour
M212-20C-WH	White
M212-20C-BK	Black

Installation

Fix






Magnet Track hole dimensions



M20 Low Voltage Magnet Track System


M20 Magnet Track (Recessed with Frame)



Model No.	Track Length	Colour	Package
M20D-10-WH	100CM	White	1 / 15
M20D-10-BK	100CM	Black	1 / 15
M20D-15-WH	150CM	White	1 / 15
M20D-15-BK	150CM	Black	1 / 15
M20D-20-WH	200CM	White	1 / 15
M20D-20-BK	200CM	Black	1 / 15
M20D-30-WH	300CM	White	1 / 8
M20D-30-BK	300CM	Black	1 / 8


M20 Magnet Track Connector (Recessed with Frame)

"L" Connector (Horizontal Direction)



Model No.	Colour
M211-20D-WH	White
M211-20D-BK	Black

"L" Connector (Vertical Direction)





Model No.	Colour
M212-20D-WH	White
M212-20D-BK	Black

Installation




Fix

Magnet Track hole dimensions



M20 Low Voltage Magnet Track System



M20 Magnet Track (Trimless Embedded)



Model No.	Track Length	Colour	Package
M20E-10-WH	100CM	White	1 / 12
M20E-10-BK	100CM	Black	1 / 12
M20E-15-WH	150CM	White	1 / 12
M20E-15-BK	150CM	Black	1 / 12
M20E-20-WH	200CM	White	1 / 12
M20E-20-BK	200CM	Black	1 / 12
M20E-30-WH	300CM	White	1 / 8
M20E-30-BK	300CM	Black	1 / 8


M20 Magnet Track Connector (Trimless Embedded)

“L” Connector (Horizontal Direction)



Model No.	Colour
M211-20E-WH	White
M211-20E-BK	Black


“L” Connector (Vertical Direction)




Model No.	Colour
M212-20E-WH	White
M212-20E-BK	Black

Installation

Fix




Magnet Track hole dimensions



M20 Low Voltage Magnet Track System

M20 Magnet Track Adaptor (Small)




Model No. Colour

M105-WH White
M105-BK Black

Excl Driver, For Spot Light

M20 Magnet Track Adaptor (Small)




Model No. Colour

M106-WH White
M106-BK Black

Excl Driver, For Track Linear and Grille Fixture

M20 Magnet Track Adaptor (Long)




Model No. Colour

M207-WH White
M207-BK Black

Excl Driver, For Spot Light

M20 Magnet Track Adaptor (Long)




Model No. Colour

M208-WH White
M208-BK Black

Excl Driver, For Track Linear and Grille Fixture

M20 Low Voltage Magnet Track System

Magnet Track Power Connector




Model No.

Colour

M311-WH
M311-BK

White
Black

Magnet Track Power Connector (With wire)




Model No.

Colour

M312-WH
M312-BK

White
Black

Magnet Track Power Connector (Dubble)




Model No.

Colour

M313-WH
M313-BK

White
Black

Magnet Track Joiner Connector





Model No.

Colour

M316-WH
M316-BK

White
Black

M20 Track End Cap



Model No.


Colour

M317-WH
M317-BK

White
Black

M20 Low Voltage Magnet Track System

Magnet Track Suspension Kits




Model No. Colour

M391-WH White
M391-BK Black

With $\phi 1.5\text{mm}$ L=1.5M Steel wire
带直径1.5mm 长度1.5M钢线


Magnet Track Connector Bracket



Model No. Colour

M392-WH White
M392-BK Black


Magnet Track Dust Cover



Model No. Colour

M393-WH White
M393-BK Black

Track Suspension Diagram



M20 Low Voltage Magnet Track System

M20 Magnet Track Linear Lamp Kit (excl LED and Driver) with Small Adapter

Model No.	Diffuser Length	Colour
MS20-300-W	L=300mm	White
MS20-300-B	L=300mm	Black

Model No.	Diffuser Length	Colour
MS20-600-W	L=600mm	White
MS20-600-B	L=600mm	Black

Model No.	Diffuser Length	Colour
MS20-900-W	L=900mm	White
MS20-900-B	L=900mm	Black

M20 Magnet Track Linear Lamp Kit (excl LED and Driver) with Long Adapter

Model No.	Diffuser Length	Colour
ML20-300-W	L=300mm	White
ML20-300-B	L=300mm	Black

Model No.	Diffuser Length	Colour
ML20-600-W	L=600mm	White
ML20-600-B	L=600mm	Black

Model No.	Diffuser Length	Colour
ML20-900-W	L=900mm	White
ML20-900-B	L=900mm	Black

M20 Low Voltage Magnet Track System

M20 Magnet Track Grille Lamp Kit (Excl LED and Driver) with Small Adapter

Model No.	Beam Angle	Colour
MS20-06G-24-W	24	White
MS20-06G-50-W	50	White
MS20-06G-24-B	24	Black
MS20-06G-50-B	50	Black

Model No.	Beam Angle	Colour
MS20-12G-24-W	24	White
MS20-12G-50-W	50	White
MS20-12G-24-B	24	Black
MS20-12G-50-B	50	Black

Model No.	Beam Angle	Colour
MS20-18G-24-W	24	White
MS20-18G-50-W	50	White
MS20-18G-24-B	24	Black
MS20-18G-50-B	50	Black

M20 Magnet Track Grille Lamp Kit (Excl LED and Driver) with Long Adapter

Model No.	Beam Angle	Colour
ML20-06G-24-W	24	White
ML20-06G-50-W	50	White
ML20-06G-24-B	24	Black
ML20-06G-50-B	50	Black

Model No.	Beam Angle	Colour
ML20-12G-24-W	24	White
ML20-12G-50-W	50	White
ML20-12G-24-B	24	Black
ML20-12G-50-B	50	Black

Model No.	Beam Angle	Colour
ML20-18G-24-W	24	White
ML20-18G-50-W	50	White
ML20-18G-24-B	24	Black
ML20-18G-50-B	50	Black

Extrusion Workshop



Lighting Track Production



Accessories Assembly



Finished Warehouse





Nelux (HK) International.Ltd - KHUN lighting track -

Address Head Office
18 harbour road, central plaza
32/F 3208 office, wanchai, HK

Address Assembling Workshop
22 Kin Fat St. 11th Floor, Sun Hing Industrial Building,
Tuen Mun, Hong Kong, China

NELUX group
www.nelux.com.hk
www.solucionled.com

Contact	Call +852 28600042
Email	salesnelux@gmail.com
Skype.	neluxlighting